



MAZDA CX-30

FEBRUARY 2020 - ONWARDS
ALL VARIANTS



TESTED
2019



MAZDA CX-30

OVERVIEW

The Mazda CX-30 was introduced in Australia and New Zealand in February 2019. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting (curtains) and a driver knee airbag are standard.

Autonomous emergency braking (City, Interurban and Vulnerable Road User) as well as lane keep assist (LKA) with lane departure warning (LDW) and an advanced speed assistance system (SAS) are fitted as standard equipment on all variants.

ANCAP SAFETY RATING
RATING YEAR (DATESTAMP)
VEHICLE TYPE
AIRBAGS


★★★★★
2019
SMALL SUV
Dual frontal, side chest,
side head, driver knee

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Mazda CX-30 Pure	5 door SUV	2.0 litre petrol	2WD	✓	-
Mazda CX-30 Evolve	5 door SUV	2.0 litre petrol	2WD	✓	-
Mazda CX-30 Touring	5 door SUV	2.0 litre petrol	2WD	✓	-
Mazda CX-30 Astina	5 door SUV	2.0 litre petrol	2WD	✓	-
Mazda CX-30 Touring	5 door SUV	2.5 litre petrol	2WD	✓	-
Mazda CX-30 Touring	5 door SUV	2.5 litre petrol	AWD	✓	-
Mazda CX-30 Astina	5 door SUV	2.5 litre petrol	2WD	✓	-
Mazda CX-30 Astina	5 door SUV	2.5 litre petrol	AWD	✓	-
Mazda CX-30 GSX	5 door SUV	2.0 litre petrol	2WD	-	✓
Mazda CX-30 GTX	5 door SUV	2.5 litre petrol	AWD	-	✓
Mazda CX-30 Limited	5 door SUV	2.5 litre petrol	AWD	-	✓

✓ COVERED BY THIS RATING ✗ NOT COVERED BY THIS RATING ◆ TESTED VARIANT - NOT APPLICABLE

ADULT OCCUPANT PROTECTION



99%
37.63 POINTS
OUT OF 38

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated ADEQUATE protection for the lower legs of both the driver and front passenger. Protection for all other critical body regions was GOOD.

In the full width frontal test, protection was GOOD for all critical body regions for both the driver and rear passenger, and maximum points were scored.

In the side impact test and the oblique pole test, protection offered to all critical body regions was GOOD and the Mazda CX-30 scored maximum points in these tests.

The autonomous emergency braking (AEB) system scored maximum points with GOOD performance in low-speed test scenarios typical of city driving.

FRONTAL OFFSET#	7.83 (out of 8)
FULL WIDTH FRONTAL#	8.00 (out of 8)
SIDE IMPACT#	8.00 (out of 8)
OBLIQUE POLE#	8.00 (out of 8)
WHIPLASH PROTECTION	1.80 (out of 2)
AEB - City	4.00 (out of 4)

Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET TEST (64 KM/H)



Driver

Head / neck: 4.00 pts
Chest: 4.00 pts
Upper legs: 4.00 pts
Lower legs: 3.66 pts
Deductions: Nil



Front Passenger

Head / neck: 4.00 pts
Chest: 4.00 pts
Upper legs: 4.00 pts
Lower legs: 3.93 pts
Deductions: Nil

FULL WIDTH FRONTAL TEST (50 KM/H)



Driver

Head: 4.00 pts
Neck: 4.00 pts
Chest: 4.00 pts
Upper legs: 4.00 pts
Deductions: Nil



Rear Passenger

Head: 4.00 pts
Neck: 4.00 pts
Chest: 4.00 pts
Upper legs: 4.00 pts
Deductions: Nil

SIDE IMPACT TEST (50 KM/H)



Driver

Head: 4.00 points
Chest: 4.00 points
Abdomen: 4.00 points
Pelvis: 4.00 points
Deductions: Nil



Driver

Head: 4.00 points
Chest: 4.00 points
Abdomen: 4.00 points
Pelvis: 4.00 points
Deductions: Nil

WHIPLASH (REAR IMPACT) PROTECTION TEST



Rear Passenger

Rear: 0.50 points
Front: 1.30 points



Driver / Front Passenger

AEB - CITY (10-50 KM/H)

Score: 4.00 points

OVERLAP	-50%	-75%	100%	75%	50%
PERFORMANCE	GOOD				

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



88%

43.20 POINTS
OUT OF 49

In the frontal offset test, protection of the neck of the 10 year dummy was MARGINAL and the 6 year dummy ADEQUATE, while the protection offered to all other critical body regions was GOOD.

In the side impact test, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The Mazda CX-30 is fitted with lower ISOFix anchorages for rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed GOOD results and the Mazda CX-30 scored full points for this assessment.

DYNAMIC TEST (FRONT)	15.20 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	12.00 (out of 12)
ON-BOARD SAFETY FEATURES	8.00 (out of 13)

FRONTAL OFFSET TEST (64 KM/H)

SIDE IMPACT TEST (50 KM/H)



6 year old

10 year old

10 year old

6 year old

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	×	●	×	-	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	×	●	●	-	-
Airbag disabling	●	-	-	-	-

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



88%

43.20 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE [^]		FRONT ROW	2nd ROW			3rd ROW			
		PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT	
BELTED	TYPE A	Rearward facing capsule	×	●	●	●	-	-	-
		Rearward facing with harness - convertible (Model A)	×	●	●	●	-	-	-
		Rearward facing with harness - convertible (Model B)	×	●	●	●	-	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	●	●	-	-	-
		Forward facing with harness - convertible (Model B)	×	●	●	●	-	-	-
	TYPE E	Booster - 4 to 8 years	×	●	●	●	-	-	-
TYPE F	Booster - 4 to 10 years	×	●	●	●	-	-	-	
ISOFIX	TYPE A	Rearward facing capsule	×	●	-	●	-	-	-
		Rearward facing with harness - convertible (Model A)	×	●	-	●	-	-	-
		Rearward facing with harness - convertible (Model B)	×	●	-	●	-	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	-	●	-	-	-
		Forward facing with harness - convertible (Model B)	×	●	-	●	-	-	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

[^] The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY × INSTALLATION NOT ALLOWED - NOT APPLICABLE / NOT ASSESSED

VULNERABLE ROAD USER PROTECTION



80%

38.74 POINTS
OUT OF 48

The bonnet of the Mazda CX-30 provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with some POOR results recorded on the stiff windscreen pillars. The bumper provided GOOD protection to pedestrians' legs and protection of the pelvis was also GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians and cyclists. The AEB system offered ADEQUATE performance in pedestrian test scenarios, with GOOD performance recorded in daylight scenarios and ADEQUATE to POOR performance in some night-time scenarios. In cyclist test scenarios, the AEB system offered ADEQUATE performance. Overall, the system's effectiveness for vulnerable road user protection was rated as ADEQUATE.

HEAD IMPACTS	18.72 (out of 24)
UPPER LEG IMPACTS	6.00 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian	3.74 (out of 6)
AEB - Cyclist	4.28 (out of 6)

PEDESTRIAN IMPACT TEST (40 KM/H)



AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN & CYCLIST)

SYSTEM NAME: Smart Brake Support
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 10-80 km/h
DESCRIPTION: System functions in the daytime and night

TEST SCENARIO	AEB - Pedestrian										AEB - Cyclist					
	Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult walking along road		FORWARD COLLISION WARNING		Cyclist crossing from kerb		Cyclist travelling along road (50%)	FORWARD COLLISION WARNING
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	DAY	DAY	
	[Diagram: Car with pedestrian crossing from left]		[Diagram: Car with pedestrian crossing from right]		[Diagram: Car with pedestrian crossing from front]		[Diagram: Car with child running from side]		[Diagram: Car with pedestrian walking along road]		[Diagram: Car with pedestrian walking along road]		[Diagram: Car with cyclist crossing from left]		[Diagram: Car with cyclist travelling along road]	[Diagram: Car with cyclist travelling along road]
PERFORMANCE	GOOD	WEAK	GOOD	WEAK	GOOD	WEAK	GOOD	WEAK	GOOD	WEAK	GOOD	WEAK	MARGINAL	GOOD	GOOD	
	ADEQUATE										ADEQUATE					

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY ASSIST



76%

9.95 POINTS
OUT OF 13

The Mazda CX-30 is fitted as standard with a range of safety assist features including autonomous emergency braking (AEB) and a lane support system (LSS) with lane keep assist (LKA), lane departure warning (LDW) and blind spot monitoring (BSM).

Tests of the AEB system in highway speed scenarios showed GOOD performance with collisions avoided or mitigated in all scenarios. Overall, effectiveness of the AEB system performance in highway speed scenarios was rated GOOD.

Tests of LSS functionality showed some GOOD performance, however the system does not intervene in more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) is also standard, informing the driver of the local speed limit and allowing the driver to set the speed accordingly.

SPEED ASSISTANCE SYSTEMS	2.88 (out of 3)
SEAT BELT REMINDERS	2.50 (out of 3)
LANE SUPPORT SYSTEMS	2.00 (out of 4)
AEB - Interurban	2.57 (out of 3)

A seatbelt reminder system is fitted for all front and rear seating positions, however occupant detection is not available for rear seats.

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane-Keep Assist System
OPERATIONAL FROM: 55-200 km/h

		EMERGENCY LANE KEEPING (ELK)						
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge		
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL			
TEST SCENARIO								
PERFORMANCE	-	-	-	-	-	-	-	-
NOT AVAILABLE								

		LANE KEEP ASSIST (LKA)									
TEST SCENARIO	Dashed Line				Solid Line				Road Edge		
	TEST SCENARIO										
PERFORMANCE	ADEQUATE								-	-	

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	PASS
	Blind Spot Monitoring (BSM)	PASS

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY ASSIST



76%

9.95 POINTS
OUT OF 13

AUTONOMOUS EMERGENCY BRAKING (INTERURBAN)

SYSTEM NAME: Smart Brake Support
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 4-160 km/h
DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)																													
FUNCTION	<table border="1"> <tr> <td>Supplementary warning</td> <td>PASS</td> </tr> <tr> <td>Restraint activation / dynamic retractors</td> <td>[NOT FITTED]</td> </tr> </table>	Supplementary warning	PASS	Restraint activation / dynamic retractors	[NOT FITTED]																								
Supplementary warning	PASS																												
Restraint activation / dynamic retractors	[NOT FITTED]																												
FORWARD COLLISION WARNING (FCW)																													
TEST SCENARIO	<table border="1"> <thead> <tr> <th colspan="5">Driving towards a stationary car</th> <th colspan="5">Driving towards a slower moving car</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Driving towards a stationary car					Driving towards a slower moving car																						
	Driving towards a stationary car					Driving towards a slower moving car																							
PERFORMANCE	GOOD																												
AUTONOMOUS EMERGENCY BRAKING - Interurban																													
TEST SCENARIO	<table border="1"> <thead> <tr> <th colspan="2">Toward car braking lightly</th> <th colspan="2">Toward car braking heavily</th> <th colspan="5">Driving towards a slower moving car</th> </tr> <tr> <th>12m HEADWAY</th> <th>40m HEADWAY</th> <th>12m HEADWAY</th> <th>40m HEADWAY</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car					12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY															
	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car																								
12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY																										
PERFORMANCE	GOOD																												

SPEED ASSISTANCE SYSTEMS (SAS)

SYSTEM NAME: Traffic Sign Recognition / Intelligent Speed Assistance

SAS FEATURE	DESCRIPTION
Speed Limit Information Function (SLIF)	Camera & map
Speed Limitation Function	System advised

SEAT BELT REMINDERS (SBR)

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	✗
Visual Warning	●	●	●
Audible Warning	●	●	●

● PASS ● FAIL ✗ NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	●
Seat belt pre-tensioners (front)	●	●
Seat belt pre-tensioners (rear outboard) - 2nd row	●	●
Seat belt pre-tensioners (rear centre) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - frontal (driver)	●	●
Airbag - frontal (passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - knee (driver)	●	●
Airbag - knee (front passenger)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	●	●
Head restraints for all seats	●	●
Active bonnet	✗	✗
Adaptive cruise control (ACC)	●	●
Adaptive headlights	●	●
Anti-lock braking system (ABS)	●	●
Autonomous emergency braking (AEB) - City	●	●
Autonomous emergency braking (AEB) - Interurban	●	●
Autonomous emergency braking (AEB) - VRU	●	●
Automatic emergency call (eCall)	✗	✗
Automatic headlights	●	●
Automatic high beam	●	●

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Blind spot monitor (BSM)	●	●
Child presence alert	✗	✗
Daytime running lights (DRL)	●	●
Electronic brakeforce distribution (EBD)	●	●
Electronic data recorder (EDR)	✗	✗
Electronic stability control (ESC)	●	●
Emergency brake assist (EBA)	●	●
Emergency stop signal (ESS)	●	●
Fatigue reminder	●	●
Fatigue detection	○	○
Forward collision warning (FCW)	●	●
Hill launch assist	●	●
Integrated child seat / restraint	✗	✗
ISOFix	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)	●	●
Pre-crash systems	●	●
Rear cross-traffic alert (RCTA)	●	●
Reversing collision avoidance (camera)	●	●
Reversing collision avoidance (auto brake)	●	○
Roll stability system	●	●
Secondary / multi-collision brake	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Smart (intelligent) key	✗	✗
Trailer stability control	✗	✗
Tyre pressure monitoring system (TPMS)	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ○ NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

ASSESSMENT DETAILS

TESTED MAKE / MODEL	Mazda CX-30 LHD
TESTED VEHICLE(S) BUILT	2019
TESTED BODY TYPE	5 door SUV
TESTED VEHICLE ENGINE	2.0 litre petrol
RATING PUBLISHED	January 2020
RATING UPDATED	N/A